



ТВЕРДОСПЛАВНЫЕ ДИСКОВЫЕ ФРЕЗЫ



Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D20-0.2-5-80T	20	0,2	5	80
YC400 D20-0.25-5-64T	20	0,25	5	64
YC400 D20-0.3-5-64T	20	0,3	5	64
YC400 D20-0.4-5-64T	20	0,4	5	64
YC400 D20-0.5-5-48T	20	0,5	5	48
YC400 D20-0.6-5-48T	20	0,6	5	48
YC400 D20-0.7-5-48T	20	0,7	5	48
YC400 D20-0.8-5-48T	20	0,8	5	48
YC400 D20-0.9-5-48T	20	0,9	5	48
YC400 D20-1.0-5-40T	20	1,0	5	40
YC400 D20-1.1-5-40T	20	1,1	5	40
YC400 D20-1.2-5-40T	20	1,2	5	40
YC400 D20-1.3-5-40T	20	1,3	5	40
YC400 D20-1.4-5-40T	20	1,4	5	40
YC400 D20-1.5-5-40T	20	1,5	5	40
YC400 D20-1.6-5-40T	20	1,6	5	40
YC400 D20-1.7-5-40T	20	1,7	5	40
YC400 D20-1.8-5-40T	20	1,8	5	40
YC400 D20-1.9-5-40T	20	1,9	5	40
YC400 D20-2.0-5-32T	20	2,0	5	32
YC400 D20-2.1-5-32T	20	2,1	5	32
YC400 D20-2.2-5-32T	20	2,2	5	32
YC400 D20-2.3-5-32T	20	2,3	5	32
YC400 D20-2.4-5-32T	20	2,4	5	32
YC400 D20-2.5-5-32T	20	2,5	5	32
YC400 D20-2.6-5-32T	20	2,6	5	32
YC400 D20-2.7-5-32T	20	2,7	5	32
YC400 D20-2.8-5-32T	20	2,8	5	32
YC400 D20-2.9-5-32T	20	2,9	5	32
YC400 D20-3.0-5-32T	20	3,0	5	32
YC400 D20-3.1-5-32T	20	3,1	5	32
YC400 D20-3.2-5-32T	20	3,2	5	32
YC400 D20-3.3-5-32T	20	3,3	5	32
YC400 D20-3.4-5-32T	20	3,4	5	32
YC400 D20-3.5-5-32T	20	3,5	5	32
YC400 D20-3.6-5-32T	20	3,6	5	32
YC400 D20-3.7-5-32T	20	3,7	5	32
YC400 D20-3.8-5-32T	20	3,8	5	32

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D20-3.9-5-32T	20	3,9	5	32
YC400 D20-4.0-5-32T	20	4,0	5	32
YC400 D20-4.1-5-32T	20	4,1	5	32
YC400 D20-4.2-5-32T	20	4,2	5	32
YC400 D20-4.3-5-32T	20	4,3	5	32
YC400 D20-4.4-5-32T	20	4,4	5	32
YC400 D20-4.5-5-32T	20	4,5	5	32
YC400 D20-4.6-5-32T	20	4,6	5	32
YC400 D20-4.7-5-32T	20	4,7	5	32
YC400 D20-4.8-5-32T	20	4,8	5	32
YC400 D20-4.9-5-32T	20	4,9	5	32
YC400 D20-5.0-5-32T	20	5,0	5	32
YC400 D20-5.1-5-32T	20	5,1	5	32
YC400 D20-5.2-5-32T	20	5,2	5	32
YC400 D20-5.3-5-32T	20	5,3	5	32
YC400 D20-5.4-5-32T	20	5,4	5	32
YC400 D20-5.5-5-32T	20	5,5	5	32
YC400 D20-5.6-5-32T	20	5,6	5	32
YC400 D20-5.7-5-32T	20	5,7	5	32
YC400 D20-5.8-5-32T	20	5,8	5	32
YC400 D20-5.9-5-32T	20	5,9	5	32
YC400 D20-6.0-5-32T	20	6,0	5	32
YC400 D25-0.2-8-80T	25	0,2	8	80
YC400 D25-0.25-8-80T	25	0,25	8	80
YC400 D25-0.3-8-80T	25	0,3	8	80
YC400 D25-0.35-8-80T	25	0,35	8	80
YC400 D25-0.4-8-80T	25	0,4	8	80
YC400 D25-0.5-8-64T	25	0,5	8	64
YC400 D25-0.6-8-64T	25	0,6	8	64
YC400 D25-0.7-8-64T	25	0,7	8	64
YC400 D25-0.8-8-64T	25	0,8	8	64
YC400 D25-0.9-8-48T	25	0,9	8	48
YC400 D25-1.0-8-48T	25	1,0	8	48
YC400 D25-1.1-8-48T	25	1,1	8	48
YC400 D25-1.2-8-48T	25	1,2	8	48
YC400 D25-1.3-8-48T	25	1,3	8	48
YC400 D25-1.4-8-48T	25	1,4	8	48
YC400 D25-1.5-8-40T	25	1,5	8	40

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D25-1.6-8-40T	25	1,6	8	40
YC400 D25-1.7-8-40T	25	1,7	8	40
YC400 D25-1.8-8-40T	25	1,8	8	40
YC400 D25-1.9-8-40T	25	1,9	8	40
YC400 D25-2.0-8-40T	25	2,0	8	40
YC400 D25-2.1-8-40T	25	2,1	8	40
YC400 D25-2.2-8-40T	25	2,2	8	40
YC400 D25-2.3-8-40T	25	2,3	8	40
YC400 D25-2.4-8-40T	25	2,4	8	40
YC400 D25-2.5-8-40T	25	2,5	8	40
YC400 D25-2.6-8-40T	25	2,6	8	40
YC400 D25-2.7-8-40T	25	2,7	8	40
YC400 D25-2.8-8-40T	25	2,8	8	40
YC400 D25-2.9-8-40T	25	2,9	8	40
YC400 D25-3.0-8-32T	25	3,0	8	32
YC400 D25-3.1-8-32T	25	3,1	8	32
YC400 D25-3.2-8-32T	25	3,2	8	32
YC400 D25-3.3-8-32T	25	3,3	8	32
YC400 D25-3.4-8-32T	25	3,4	8	32
YC400 D25-3.5-8-32T	25	3,5	8	32
YC400 D25-3.6-8-32T	25	3,6	8	32
YC400 D25-3.7-8-32T	25	3,7	8	32
YC400 D25-3.8-8-32T	25	3,8	8	32
YC400 D25-3.9-8-32T	25	3,9	8	32
YC400 D25-4.0-8-32T	25	4,0	8	32
YC400 D25-4.1-8-32T	25	4,1	8	32
YC400 D25-4.2-8-32T	25	4,2	8	32
YC400 D25-4.3-8-32T	25	4,3	8	32
YC400 D25-4.4-8-32T	25	4,4	8	32
YC400 D25-4.5-8-32T	25	4,5	8	32
YC400 D25-4.6-8-32T	25	4,6	8	32
YC400 D25-4.7-8-32T	25	4,7	8	32
YC400 D25-4.8-8-32T	25	4,8	8	32
YC400 D25-4.9-8-32T	25	4,9	8	32
YC400 D25-5.0-8-32T	25	5,0	8	32
YC400 D25-5.1-8-32T	25	5,1	8	32
YC400 D25-5.2-8-32T	25	5,2	8	32
YC400 D25-5.3-8-32T	25	5,3	8	32

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D25-5.4-8-32T	25	5,4	8	32
YC400 D25-5.5-8-32T	25	5,5	8	32
YC400 D25-5.6-8-32T	25	5,6	8	32
YC400 D25-5.7-8-32T	25	5,7	8	32
YC400 D25-5.8-8-32T	25	5,8	8	32
YC400 D25-5.9-8-32T	25	5,9	8	32
YC400 D25-6.0-8-32T	25	6,0	8	32
YC400 D30-0.2-8-100T	30	0,2	8	100
YC400 D30-0.25-8-100T	30	0,3	8	100
YC400 D30-0.3-8-80T	30	0,3	8	80
YC400 D30-0.4-8-80T	30	0,4	8	80
YC400 D30-0.5-8-80T	30	0,5	8	80
YC400 D30-0.6-8-64T	30	0,6	8	64
YC400 D30-0.7-8-64T	30	0,7	8	64
YC400 D30-0.8-8-64T	30	0,8	8	64
YC400 D30-0.9-8-64T	30	0,9	8	64
YC400 D30-1.0-8-64T	30	1,0	8	64
YC400 D30-1.1-8-48T	30	1,1	8	48
YC400 D30-1.2-8-48T	30	1,2	8	48
YC400 D30-1.3-8-48T	30	1,3	8	48
YC400 D30-1.4-8-48T	30	1,4	8	48
YC400 D30-1.5-8-48T	30	1,5	8	48
YC400 D30-1.6-8-48T	30	1,6	8	48
YC400 D30-1.7-8-48T	30	1,7	8	48
YC400 D30-1.8-8-48T	30	1,8	8	48
YC400 D30-1.9-8-48T	30	1,9	8	48
YC400 D30-2.0-8-48T	30	2,0	8	48
YC400 D30-2.1-8-48T	30	2,1	8	48
YC400 D30-2.2-8-48T	30	2,2	8	48
YC400 D30-2.3-8-48T	30	2,3	8	48
YC400 D30-2.4-8-48T	30	2,4	8	48
YC400 D30-2.5-8-40T	30	2,5	8	40
YC400 D30-2.6-8-40T	30	2,6	8	40
YC400 D30-2.7-8-40T	30	2,7	8	40
YC400 D30-2.8-8-40T	30	2,8	8	40
YC400 D30-2.9-8-40T	30	2,9	8	40
YC400 D30-3.0-8-40T	30	3,0	8	40
YC400 D30-3.1-8-40T	30	3,1	8	40

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D30-3.2-8-40T	30	3,2	8	40
YC400 D30-3.3-8-40T	30	3,3	8	40
YC400 D30-3.4-8-40T	30	3,4	8	40
YC400 D30-3.5-8-40T	30	3,5	8	40
YC400 D30-3.6-8-40T	30	3,6	8	40
YC400 D30-3.7-8-40T	30	3,7	8	40
YC400 D30-3.8-8-40T	30	3,8	8	40
YC400 D30-3.9-8-40T	30	3,9	8	40
YC400 D30-4.0-8-40T	30	4,0	8	40
YC400 D30-4.1-8-40T	30	4,1	8	40
YC400 D30-4.2-8-40T	30	4,2	8	40
YC400 D30-4.3-8-40T	30	4,3	8	40
YC400 D30-4.4-8-40T	30	4,4	8	40
YC400 D30-4.5-8-40T	30	4,5	8	40
YC400 D30-4.6-8-40T	30	4,6	8	40
YC400 D30-4.7-8-40T	30	4,7	8	40
YC400 D30-4.8-8-40T	30	4,8	8	40
YC400 D30-4.9-8-40T	30	4,9	8	40
YC400 D30-5.0-8-32T	30	5,0	8	32
YC400 D30-5.1-8-32T	30	5,1	8	32
YC400 D30-5.2-8-32T	30	5,2	8	32
YC400 D30-5.3-8-32T	30	5,3	8	32
YC400 D30-5.4-8-32T	30	5,4	8	32
YC400 D30-5.5-8-32T	30	5,5	8	32
YC400 D30-5.6-8-32T	30	5,6	8	32
YC400 D30-5.7-8-32T	30	5,7	8	32
YC400 D30-5.8-8-32T	30	5,8	8	32
YC400 D30-5.9-8-32T	30	5,9	8	32
YC400 D30-6.0-8-32T	30	6,0	8	32
YC400 D40-0.2-10-128T	40	0,2	10	128
YC400 D40-0.25-10-100T	40	0,25	10	100
YC400 D40-0.3-10-100T	40	0,3	10	100
YC400 D40-0.4-10-100T	40	0,4	10	100
YC400 D40-0.5-10-80T	40	0,5	10	80
YC400 D40-0.6-10-80T	40	0,6	10	80
YC400 D40-0.7-10-80T	40	0,7	10	80
YC400 D40-0.8-10-80T	40	0,8	10	80
YC400 D40-0.9-10-80T	40	0,9	10	80

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D40-1.0-10-64T	40	1,0	10	64
YC400 D40-1.1-10-64T	40	1,1	10	64
YC400 D40-1.2-10-64T	40	1,2	10	64
YC400 D40-1.3-10-64T	40	1,3	10	64
YC400 D40-1.4-10-64T	40	1,4	10	64
YC400 D40-1.5-10-64T	40	1,5	10	64
YC400 D40-1.6-10-64T	40	1,6	10	64
YC400 D40-1.7-10-64T	40	1,7	10	64
YC400 D40-1.8-10-64T	40	1,8	10	64
YC400 D40-1.9-10-64T	40	1,9	10	64
YC400 D40-2.0-10-48T	40	2,0	10	48
YC400 D40-2.1-10-48T	40	2,1	10	48
YC400 D40-2.2-10-48T	40	2,2	10	48
YC400 D40-2.3-10-48T	40	2,3	10	48
YC400 D40-2.4-10-48T	40	2,4	10	48
YC400 D40-2.5-10-48T	40	2,5	10	48
YC400 D40-2.6-10-48T	40	2,6	10	48
YC400 D40-2.7-10-48T	40	2,7	10	48
YC400 D40-2.8-10-48T	40	2,8	10	48
YC400 D40-2.9-10-48T	40	2,9	10	48
YC400 D40-3.0-10-48T	40	3,0	10	48
YC400 D40-3.1-10-48T	40	3,1	10	48
YC400 D40-3.2-10-48T	40	3,2	10	48
YC400 D40-3.3-10-48T	40	3,3	10	48
YC400 D40-3.4-10-48T	40	3,4	10	48
YC400 D40-3.5-10-48T	40	3,5	10	48
YC400 D40-3.6-10-48T	40	3,6	10	48
YC400 D40-3.7-10-48T	40	3,7	10	48
YC400 D40-3.8-10-48T	40	3,8	10	48
YC400 D40-3.9-10-48T	40	3,9	10	48
YC400 D40-4.0-10-40T	40	4,0	10	40
YC400 D40-4.1-10-40T	40	4,1	10	40
YC400 D40-4.2-10-40T	40	4,2	10	40
YC400 D40-4.3-10-40T	40	4,3	10	40
YC400 D40-4.4-10-40T	40	4,4	10	40
YC400 D40-4.5-10-40T	40	4,5	10	40
YC400 D40-4.6-10-40T	40	4,6	10	40
YC400 D40-4.7-10-40T	40	4,7	10	40

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D40-4.8-10-40T	40	4,8	10	40
YC400 D40-4.9-10-40T	40	4,9	10	40
YC400 D40-5.0-10-40T	40	5,0	10	40
YC400 D40-5.1-10-40T	40	5,1	10	40
YC400 D40-5.2-10-40T	40	5,2	10	40
YC400 D40-5.3-10-40T	40	5,3	10	40
YC400 D40-5.4-10-40T	40	5,4	10	40
YC400 D40-5.5-10-40T	40	5,5	10	40
YC400 D40-5.6-10-40T	40	5,6	10	40
YC400 D40-5.7-10-40T	40	5,7	10	40
YC400 D40-5.8-10-40T	40	5,8	10	40
YC400 D40-5.9-10-40T	40	5,9	10	40
YC400 D40-6.0-10-40T	40	6,0	10	40
YC400 D50-0.2-13-128T	50	0,2	13	128
YC400 D50-0.25-13-128T	50	0,25	13	128
YC400 D50-0.3-13-128T	50	0,3	13	128
YC400 D50-0.4-13-100T	50	0,4	13	100
YC400 D50-0.5-13-100T	50	0,5	13	100
YC400 D50-0.6-13-100T	50	0,6	13	100
YC400 D50-0.7-13-100T	50	0,7	13	100
YC400 D50-0.8-13-80T	50	0,8	13	80
YC400 D50-0.9-13-80T	50	0,9	13	80
YC400 D50-1.0-13-80T	50	1,0	13	80
YC400 D50-1.1-13-80T	50	1,1	13	80
YC400 D50-1.2-13-80T	50	1,2	13	80
YC400 D50-1.3-13-80T	50	1,3	13	80
YC400 D50-1.4-13-80T	50	1,4	13	80
YC400 D50-1.5-13-64T	50	1,5	13	64
YC400 D50-1.6-13-64T	50	1,6	13	64
YC400 D50-1.7-13-64T	50	1,7	13	64
YC400 D50-1.8-13-64T	50	1,8	13	64
YC400 D50-1.9-13-64T	50	1,9	13	64
YC400 D50-2.0-13-64T	50	2,0	13	64
YC400 D50-2.1-13-64T	50	2,1	13	64
YC400 D50-2.2-13-64T	50	2,2	13	64
YC400 D50-2.3-13-64T	50	2,3	13	64
YC400 D50-2.4-13-64T	50	2,4	13	64
YC400 D50-2.5-13-64T	50	2,5	13	64

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D50-2.6-13-64T	50	2,6	13	64
YC400 D50-2.7-13-64T	50	2,7	13	64
YC400 D50-2.8-13-64T	50	2,8	13	64
YC400 D50-2.9-13-64T	50	2,9	13	64
YC400 D50-3.0-13-48T	50	3,0	13	48
YC400 D50-3.1-13-48T	50	3,1	13	48
YC400 D50-3.2-13-48T	50	3,2	13	48
YC400 D50-3.3-13-48T	50	3,3	13	48
YC400 D50-3.4-13-48T	50	3,4	13	48
YC400 D50-3.5-13-48T	50	3,5	13	48
YC400 D50-3.6-13-48T	50	3,6	13	48
YC400 D50-3.7-13-48T	50	3,7	13	48
YC400 D50-3.8-13-48T	50	3,8	13	48
YC400 D50-3.9-13-48T	50	3,9	13	48
YC400 D50-4.0-13-48T	50	4,0	13	48
YC400 D50-4.1-13-48T	50	4,1	13	48
YC400 D50-4.2-13-48T	50	4,2	13	48
YC400 D50-4.3-13-48T	50	4,3	13	48
YC400 D50-4.4-13-48T	50	4,4	13	48
YC400 D50-4.5-13-48T	50	4,5	13	48
YC400 D50-4.6-13-48T	50	4,6	13	48
YC400 D50-4.7-13-48T	50	4,7	13	48
YC400 D50-4.8-13-48T	50	4,8	13	48
YC400 D50-4.9-13-48T	50	4,9	13	48
YC400 D50-5.0-13-48T	50	5,0	13	48
YC400 D50-5.1-13-48T	50	5,1	13	48
YC400 D50-5.2-13-48T	50	5,2	13	48
YC400 D50-5.3-13-48T	50	5,3	13	48
YC400 D50-5.4-13-48T	50	5,4	13	48
YC400 D50-5.5-13-48T	50	5,5	13	48
YC400 D50-5.6-13-48T	50	5,6	13	48
YC400 D50-5.7-13-48T	50	5,7	13	48
YC400 D50-5.8-13-48T	50	5,8	13	48
YC400 D50-5.9-13-48T	50	5,9	13	48
YC400 D50-6.0-13-48T	50	6,0	13	48
YC400 D63-0.3-16-128T	63	0,3	16	128
YC400 D63-0.4-16-128T	63	0,4	16	128
YC400 D63-0.5-16-128T	63	0,5	16	128

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D63-0.6-16-100T	63	0,6	16	100
YC400 D63-0.7-16-100T	63	0,7	16	100
YC400 D63-0.8-16-100T	63	0,8	16	100
YC400 D63-0.9-16-100T	63	0,9	16	100
YC400 D63-1.0-16-100T	63	1,0	16	100
YC400 D63-1.1-16-100T	63	1,1	16	100
YC400 D63-1.2-16-80T	63	1,2	16	80
YC400 D63-1.3-16-80T	63	1,3	16	80
YC400 D63-1.4-16-80T	63	1,4	16	80
YC400 D63-1.5-16-80T	63	1,5	16	80
YC400 D63-1.6-16-80T	63	1,6	16	80
YC400 D63-1.7-16-80T	63	1,7	16	80
YC400 D63-1.8-16-80T	63	1,8	16	80
YC400 D63-1.9-16-80T	63	1,9	16	80
YC400 D63-2.0-16-80T	63	2,0	16	80
YC400 D63-2.1-16-80T	63	2,1	16	80
YC400 D63-2.2-16-80T	63	2,2	16	80
YC400 D63-2.3-16-80T	63	2,3	16	80
YC400 D63-2.4-16-80T	63	2,4	16	80
YC400 D63-2.5-16-64T	63	2,5	16	64
YC400 D63-2.6-16-64T	63	2,6	16	64
YC400 D63-2.7-16-64T	63	2,7	16	64
YC400 D63-2.8-16-64T	63	2,8	16	64
YC400 D63-2.9-16-64T	63	2,9	16	64
YC400 D63-3.0-16-64T	63	3,0	16	64
YC400 D63-3.1-16-64T	63	3,1	16	64
YC400 D63-3.2-16-64T	63	3,2	16	64
YC400 D63-3.3-16-64T	63	3,3	16	64
YC400 D63-3.4-16-64T	63	3,4	16	64
YC400 D63-3.5-16-64T	63	3,5	16	64
YC400 D63-3.6-16-64T	63	3,6	16	64
YC400 D63-3.7-16-64T	63	3,7	16	64
YC400 D63-3.8-16-64T	63	3,8	16	64
YC400 D63-3.9-16-64T	63	3,9	16	64
YC400 D63-4.0-16-64T	63	4,0	16	64
YC400 D63-4.1-16-64T	63	4,1	16	64
YC400 D63-4.2-16-64T	63	4,2	16	64
YC400 D63-4.3-16-64T	63	4,3	16	64

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D63-4.4-16-64T	63	4,4	16	64
YC400 D63-4.5-16-64T	63	4,5	16	64
YC400 D63-4.6-16-64T	63	4,6	16	64
YC400 D63-4.7-16-64T	63	4,7	16	64
YC400 D63-4.8-16-64T	63	4,8	16	64
YC400 D63-4.9-16-64T	63	4,9	16	64
YC400 D63-5.0-16-48T	63	5,0	16	48
YC400 D63-5.1-16-48T	63	5,1	16	48
YC400 D63-5.2-16-48T	63	5,2	16	48
YC400 D63-5.3-16-48T	63	5,3	16	48
YC400 D63-5.4-16-48T	63	5,4	16	48
YC400 D63-5.5-16-48T	63	5,5	16	48
YC400 D63-5.6-16-48T	63	5,6	16	48
YC400 D63-5.7-16-48T	63	5,7	16	48
YC400 D63-5.8-16-48T	63	5,8	16	48
YC400 D63-5.9-16-48T	63	5,9	16	48
YC400 D63-6.0-16-48T	63	6,0	16	48
YC400 D80-0.3-22-128T	80	0,3	22	128
YC400 D80-0.4-22-128T	80	0,4	22	128
YC400 D80-0.5-22-128T	80	0,5	22	128
YC400 D80-0.6-22-128T	80	0,6	22	128
YC400 D80-0.7-22-128T	80	0,7	22	128
YC400 D80-0.8-22-128T	80	0,8	22	128
YC400 D80-0.9-22-128T	80	0,9	22	128
YC400 D80-1.0-22-100T	80	1,0	22	100
YC400 D80-1.1-22-100T	80	1,1	22	100
YC400 D80-1.2-22-100T	80	1,2	22	100
YC400 D80-1.3-22-100T	80	1,3	22	100
YC400 D80-1.4-22-100T	80	1,4	22	100
YC400 D80-1.5-22-100T	80	1,5	22	100
YC400 D80-1.6-22-100T	80	1,6	22	100
YC400 D80-1.7-22-100T	80	1,7	22	100
YC400 D80-1.8-22-100T	80	1,8	22	100
YC400 D80-1.9-22-100T	80	1,9	22	100
YC400 D80-2.0-22-80T	80	2,0	22	80
YC400 D80-2.1-22-80T	80	2,1	22	80
YC400 D80-2.2-22-80T	80	2,2	22	80
YC400 D80-2.3-22-80T	80	2,3	22	80

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D80-2.4-22-80T	80	2,4	22	80
YC400 D80-2.5-22-80T	80	2,5	22	80
YC400 D80-2.6-22-80T	80	2,6	22	80
YC400 D80-2.7-22-80T	80	2,7	22	80
YC400 D80-2.8-22-80T	80	2,8	22	80
YC400 D80-2.9-22-80T	80	2,9	22	80
YC400 D80-3.0-22-80T	80	3,0	22	80
YC400 D80-3.1-22-80T	80	3,1	22	80
YC400 D80-3.2-22-80T	80	3,2	22	80
YC400 D80-3.3-22-80T	80	3,3	22	80
YC400 D80-3.4-22-80T	80	3,4	22	80
YC400 D80-3.5-22-80T	80	3,5	22	80
YC400 D80-3.6-22-80T	80	3,6	22	80
YC400 D80-3.7-22-80T	80	3,7	22	80
YC400 D80-3.8-22-80T	80	3,8	22	80
YC400 D80-3.9-22-80T	80	3,9	22	80
YC400 D80-4.0-22-64T	80	4,0	22	64
YC400 D80-4.1-22-64T	80	4,1	22	64
YC400 D80-4.2-22-64T	80	4,2	22	64
YC400 D80-4.3-22-64T	80	4,3	22	64
YC400 D80-4.4-22-64T	80	4,4	22	64
YC400 D80-4.5-22-64T	80	4,5	22	64
YC400 D80-4.6-22-64T	80	4,6	22	64
YC400 D80-4.7-22-64T	80	4,7	22	64
YC400 D80-4.8-22-64T	80	4,8	22	64
YC400 D80-4.9-22-64T	80	4,9	22	64
YC400 D80-5.0-22-64T	80	5,0	22	64
YC400 D80-5.1-22-64T	80	5,1	22	64
YC400 D80-5.2-22-64T	80	5,2	22	64
YC400 D80-5.3-22-64T	80	5,3	22	64
YC400 D80-5.4-22-64T	80	5,4	22	64
YC400 D80-5.5-22-64T	80	5,5	22	64
YC400 D80-5.6-22-64T	80	5,6	22	64
YC400 D80-5.7-22-64T	80	5,7	22	64
YC400 D80-5.8-22-64T	80	5,8	22	64
YC400 D80-5.9-22-64T	80	5,9	22	64
YC400 D80-6.0-22-64T	80	6,0	22	64
YC400 D100-0.3-22-128T	100	0,3	22	128

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D100-0.4-22-128T	100	0,4	22	128
YC400 D100-0.5-22-128T	100	0,5	22	128
YC400 D100-0.6-22-128T	100	0,6	22	128
YC400 D100-0.7-22-128T	100	0,7	22	128
YC400 D100-0.8-22-128T	100	0,8	22	128
YC400 D100-0.9-22-128T	100	0,9	22	128
YC400 D100-1.0-22-128T	100	1,0	22	128
YC400 D100-1.1-22-128T	100	1,1	22	128
YC400 D100-1.2-22-128T	100	1,2	22	128
YC400 D100-1.3-22-128T	100	1,3	22	128
YC400 D100-1.4-22-100T	100	1,4	22	100
YC400 D100-1.5-22-100T	100	1,5	22	100
YC400 D100-1.6-22-100T	100	1,6	22	100
YC400 D100-1.7-22-100T	100	1,7	22	100
YC400 D100-1.8-22-100T	100	1,8	22	100
YC400 D100-1.9-22-100T	100	1,9	22	100
YC400 D100-2.0-22-100T	100	2,0	22	100
YC400 D100-2.1-22-100T	100	2,1	22	100
YC400 D100-2.2-22-100T	100	2,2	22	100
YC400 D100-2.3-22-100T	100	2,3	22	100
YC400 D100-2.4-22-100T	100	2,4	22	100
YC400 D100-2.5-22-100T	100	2,5	22	100
YC400 D100-2.6-22-100T	100	2,6	22	100
YC400 D100-2.7-22-100T	100	2,7	22	100
YC400 D100-2.8-22-100T	100	2,8	22	100
YC400 D100-2.9-22-100T	100	2,9	22	100
YC400 D100-3.0-22-80T	100	3,0	22	80
YC400 D100-3.1-22-80T	100	3,1	22	80
YC400 D100-3.2-22-80T	100	3,2	22	80
YC400 D100-3.3-22-80T	100	3,3	22	80
YC400 D100-3.4-22-80T	100	3,4	22	80
YC400 D100-3.5-22-80T	100	3,5	22	80
YC400 D100-3.6-22-80T	100	3,6	22	80
YC400 D100-3.7-22-80T	100	3,7	22	80
YC400 D100-3.8-22-80T	100	3,8	22	80
YC400 D100-3.9-22-80T	100	3,9	22	80
YC400 D100-4.0-22-80T	100	4,0	22	80
YC400 D100-4.1-22-80T	100	4,1	22	80

Серия YC400


Твердосплавные дисковые фрезы с мелким шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC400 D100-4.2-22-80T	100	4,2	22	80
YC400 D100-4.3-22-80T	100	4,3	22	80
YC400 D100-4.4-22-80T	100	4,4	22	80
YC400 D100-4.5-22-80T	100	4,5	22	80
YC400 D100-4.6-22-80T	100	4,6	22	80
YC400 D100-4.7-22-80T	100	4,7	22	80
YC400 D100-4.8-22-80T	100	4,8	22	80
YC400 D100-4.9-22-80T	100	4,9	22	80
YC400 D100-5.0-22-80T	100	5,0	22	80
YC400 D100-5.1-22-80T	100	5,1	22	80
YC400 D100-5.2-22-80T	100	5,2	22	80
YC400 D100-5.3-22-80T	100	5,3	22	80
YC400 D100-5.4-22-80T	100	5,4	22	80
YC400 D100-5.5-22-80T	100	5,5	22	80
YC400 D100-5.6-22-80T	100	5,6	22	80
YC400 D100-5.7-22-80T	100	5,7	22	80
YC400 D100-5.8-22-80T	100	5,8	22	80
YC400 D100-5.9-22-80T	100	5,9	22	80
YC400 D100-6.0-22-80T	100	6,0	22	80

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D20-0.2-5-40T	20	0,2	5	40
YC500 D20-0.3-5-32T	20	0,3	5	32
YC500 D20-0.4-5-32T	20	0,4	5	32
YC500 D20-0.5-5-24T	20	0,5	5	24
YC500 D20-0.6-5-24T	20	0,6	5	24
YC500 D20-0.7-5-24T	20	0,7	5	24
YC500 D20-0.8-5-24T	20	0,8	5	24
YC500 D20-0.9-5-24T	20	0,9	5	24
YC500 D20-1.0-5-20T	20	1,0	5	20
YC500 D20-1.1-5-20T	20	1,1	5	20
YC500 D20-1.2-5-20T	20	1,2	5	20
YC500 D20-1.3-5-20T	20	1,3	5	20
YC500 D20-1.4-5-20T	20	1,4	5	20
YC500 D20-1.5-5-20T	20	1,5	5	20
YC500 D20-1.6-5-20T	20	1,6	5	20
YC500 D20-1.7-5-20T	20	1,7	5	20
YC500 D20-1.8-5-20T	20	1,8	5	20
YC500 D20-1.9-5-16T	20	1,9	5	16
YC500 D20-2.0-5-16T	20	2,0	5	16
YC500 D20-2.1-5-16T	20	2,1	5	16
YC500 D20-2.2-5-16T	20	2,2	5	16
YC500 D20-2.3-5-16T	20	2,3	5	16
YC500 D20-2.4-5-16T	20	2,4	5	16
YC500 D20-2.5-5-16T	20	2,5	5	16
YC500 D20-2.6-5-16T	20	2,6	5	16
YC500 D20-2.7-5-16T	20	2,7	5	16
YC500 D20-2.8-5-16T	20	2,8	5	16
YC500 D20-2.9-5-16T	20	2,9	5	16
YC500 D20-3.0-5-16T	20	3,0	5	16
YC500 D20-3.1-5-16T	20	3,1	5	16
YC500 D20-3.2-5-16T	20	3,2	5	16
YC500 D20-3.3-5-16T	20	3,3	5	16
YC500 D20-3.4-5-16T	20	3,4	5	16
YC500 D20-3.5-5-16T	20	3,5	5	16
YC500 D20-3.6-5-16T	20	3,6	5	16
YC500 D20-3.7-5-16T	20	3,7	5	16
YC500 D20-3.8-5-16T	20	3,8	5	16

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D20-3.9-5-16T	20	3,9	5	16
YC500 D20-4.0-5-16T	20	4,0	5	16
YC500 D20-4.1-5-16T	20	4,1	5	16
YC500 D20-4.2-5-16T	20	4,2	5	16
YC500 D20-4.3-5-16T	20	4,3	5	16
YC500 D20-4.4-5-16T	20	4,4	5	16
YC500 D20-4.5-5-16T	20	4,5	5	16
YC500 D20-4.6-5-16T	20	4,6	5	16
YC500 D20-4.7-5-16T	20	4,7	5	16
YC500 D20-4.8-5-16T	20	4,8	5	16
YC500 D20-4.9-5-16T	20	4,9	5	16
YC500 D20-5.0-5-16T	20	5,0	5	16
YC500 D20-5.1-5-16T	20	5,1	5	16
YC500 D20-5.2-5-16T	20	5,2	5	16
YC500 D20-5.3-5-16T	20	5,3	5	16
YC500 D20-5.4-5-16T	20	5,4	5	16
YC500 D20-5.5-5-16T	20	5,5	5	16
YC500 D20-5.6-5-16T	20	5,6	5	16
YC500 D20-5.7-5-16T	20	5,7	5	16
YC500 D20-5.8-5-16T	20	5,8	5	16
YC500 D20-5.9-5-16T	20	5,9	5	16
YC500 D20-6.0-5-16T	20	6,0	5	16
YC500 D25-0.2-8-40T	25	0,2	8	40
YC500 D25-0.3-8-40T	25	0,3	8	40
YC500 D25-0.4-8-32T	25	0,4	8	32
YC500 D25-0.5-8-32T	25	0,5	8	32
YC500 D25-0.6-8-32T	25	0,6	8	32
YC500 D25-0.7-8-32T	25	0,7	8	32
YC500 D25-0.8-8-24T	25	0,8	8	24
YC500 D25-0.9-8-24T	25	0,9	8	24
YC500 D25-1.0-8-24T	25	1,0	8	24
YC500 D25-1.1-8-24T	25	1,1	8	24
YC500 D25-1.2-8-24T	25	1,2	8	24
YC500 D25-1.3-8-24T	25	1,3	8	24
YC500 D25-1.4-8-24T	25	1,4	8	24
YC500 D25-1.5-8-20T	25	1,5	8	20
YC500 D25-1.6-8-20T	25	1,6	8	20

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D25-1.7-8-20T	25	1,7	8	20
YC500 D25-1.8-8-20T	25	1,8	8	20
YC500 D25-1.9-8-20T	25	1,9	8	20
YC500 D25-2.0-8-20T	25	2,0	8	20
YC500 D25-2.1-8-20T	25	2,1	8	20
YC500 D25-2.2-8-20T	25	2,2	8	20
YC500 D25-2.3-8-20T	25	2,3	8	20
YC500 D25-2.4-8-20T	25	2,4	8	20
YC500 D25-2.5-8-20T	25	2,5	8	20
YC500 D25-2.6-8-20T	25	2,6	8	20
YC500 D25-2.7-8-20T	25	2,7	8	20
YC500 D25-2.8-8-20T	25	2,8	8	20
YC500 D25-2.9-8-20T	25	2,9	8	20
YC500 D25-3.0-8-20T	25	3,0	8	20
YC500 D25-3.1-8-20T	25	3,1	8	20
YC500 D25-3.2-8-20T	25	3,2	8	20
YC500 D25-3.3-8-20T	25	3,3	8	20
YC500 D25-3.4-8-20T	25	3,4	8	20
YC500 D25-3.5-8-20T	25	3,5	8	20
YC500 D25-3.6-8-20T	25	3,6	8	20
YC500 D25-3.7-8-20T	25	3,7	8	20
YC500 D25-3.8-8-20T	25	3,8	8	20
YC500 D25-3.9-8-20T	25	3,9	8	20
YC500 D25-4.0-8-20T	25	4,0	8	20
YC500 D25-4.1-8-20T	25	4,1	8	20
YC500 D25-4.2-8-20T	25	4,2	8	20
YC500 D25-4.3-8-20T	25	4,3	8	20
YC500 D25-4.4-8-20T	25	4,4	8	20
YC500 D25-4.5-8-20T	25	4,5	8	20
YC500 D25-4.6-8-20T	25	4,6	8	20
YC500 D25-4.7-8-20T	25	4,7	8	20
YC500 D25-4.8-8-20T	25	4,8	8	20
YC500 D25-4.9-8-20T	25	4,9	8	20
YC500 D25-5.0-8-20T	25	5,0	8	20
YC500 D25-5.1-8-20T	25	5,1	8	20
YC500 D25-5.2-8-20T	25	5,2	8	20
YC500 D25-5.3-8-20T	25	5,3	8	20

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D25-5.4-8-20T	25	5,4	8	20
YC500 D25-5.5-8-20T	25	5,5	8	20
YC500 D25-5.6-8-20T	25	5,6	8	20
YC500 D25-5.7-8-20T	25	5,7	8	20
YC500 D25-5.8-8-20T	25	5,8	8	20
YC500 D25-5.9-8-20T	25	5,9	8	20
YC500 D25-6.0-8-20T	25	6,0	8	20
YC500 D30-0.3-8-40T	30	0,3	8	40
YC500 D30-0.4-8-40T	30	0,4	8	40
YC500 D30-0.5-8-40T	30	0,5	8	40
YC500 D30-0.6-8-32T	30	0,6	8	32
YC500 D30-0.7-8-32T	30	0,7	8	32
YC500 D30-0.8-8-32T	30	0,8	8	32
YC500 D30-0.9-8-32T	30	0,9	8	32
YC500 D30-1.0-8-32T	30	1,0	8	32
YC500 D30-1.1-8-24T	30	1,1	8	24
YC500 D30-1.2-8-24T	30	1,2	8	24
YC500 D30-1.3-8-24T	30	1,3	8	24
YC500 D30-1.4-8-24T	30	1,4	8	24
YC500 D30-1.5-8-24T	30	1,5	8	24
YC500 D30-1.6-8-24T	30	1,6	8	24
YC500 D30-1.7-8-24T	30	1,7	8	24
YC500 D30-1.8-8-24T	30	1,8	8	24
YC500 D30-1.9-8-24T	30	1,9	8	24
YC500 D30-2.0-8-24T	30	2,0	8	24
YC500 D30-2.1-8-24T	30	2,1	8	24
YC500 D30-2.2-8-24T	30	2,2	8	24
YC500 D30-2.3-8-24T	30	2,3	8	24
YC500 D30-2.4-8-24T	30	2,4	8	24
YC500 D30-2.5-8-20T	30	2,5	8	20
YC500 D30-2.6-8-20T	30	2,6	8	20
YC500 D30-2.7-8-20T	30	2,7	8	20
YC500 D30-2.8-8-20T	30	2,8	8	20
YC500 D30-2.9-8-20T	30	2,9	8	20
YC500 D30-3.0-8-20T	30	3,0	8	20
YC500 D30-3.1-8-20T	30	3,1	8	20
YC500 D30-3.2-8-20T	30	3,2	8	20

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D30-3.3-8-20T	30	3,3	8	20
YC500 D30-3.4-8-20T	30	3,4	8	20
YC500 D30-3.5-8-20T	30	3,5	8	20
YC500 D30-3.6-8-20T	30	3,6	8	20
YC500 D30-3.7-8-20T	30	3,7	8	20
YC500 D30-3.8-8-20T	30	3,8	8	20
YC500 D30-3.9-8-20T	30	3,9	8	20
YC500 D30-4.0-8-20T	30	4,0	8	20
YC500 D30-4.1-8-20T	30	4,1	8	20
YC500 D30-4.2-8-20T	30	4,2	8	20
YC500 D30-4.3-8-20T	30	4,3	8	20
YC500 D30-4.4-8-20T	30	4,4	8	20
YC500 D30-4.5-8-20T	30	4,5	8	20
YC500 D30-4.6-8-20T	30	4,6	8	20
YC500 D30-4.7-8-20T	30	4,7	8	20
YC500 D30-4.8-8-20T	30	4,8	8	20
YC500 D30-4.9-8-20T	30	4,9	8	20
YC500 D30-5.0-8-20T	30	5,0	8	20
YC500 D30-5.1-8-20T	30	5,1	8	20
YC500 D30-5.2-8-20T	30	5,2	8	20
YC500 D30-5.3-8-20T	30	5,3	8	20
YC500 D30-5.4-8-20T	30	5,4	8	20
YC500 D30-5.5-8-20T	30	5,5	8	20
YC500 D30-5.6-8-20T	30	5,6	8	20
YC500 D30-5.7-8-20T	30	5,7	8	20
YC500 D30-5.8-8-20T	30	5,8	8	20
YC500 D30-5.9-8-20T	30	5,9	8	20
YC500 D30-6.0-8-20T	30	6,0	8	20
YC500 D40-0.3-10-48T	40	0,3	10	48
YC500 D40-0.4-10-48T	40	0,4	10	48
YC500 D40-0.5-10-40T	40	0,5	10	40
YC500 D40-0.6-10-40T	40	0,6	10	40
YC500 D40-0.7-10-40T	40	0,7	10	40
YC500 D40-0.8-10-40T	40	0,8	10	40
YC500 D40-0.9-10-40T	40	0,9	10	40
YC500 D40-1.0-10-32T	40	1,0	10	32
YC500 D40-1.1-10-32T	40	1,1	10	32

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D40-1.2-10-32T	40	1,2	10	32
YC500 D40-1.3-10-32T	40	1,3	10	32
YC500 D40-1.4-10-32T	40	1,4	10	32
YC500 D40-1.5-10-32T	40	1,5	10	32
YC500 D40-1.6-10-32T	40	1,6	10	32
YC500 D40-1.7-10-32T	40	1,7	10	32
YC500 D40-1.8-10-32T	40	1,8	10	32
YC500 D40-1.9-10-32T	40	1,9	10	32
YC500 D40-2.0-10-24T	40	2,0	10	24
YC500 D40-2.1-10-24T	40	2,1	10	24
YC500 D40-2.2-10-24T	40	2,2	10	24
YC500 D40-2.3-10-24T	40	2,3	10	24
YC500 D40-2.4-10-24T	40	2,4	10	24
YC500 D40-2.5-10-24T	40	2,5	10	24
YC500 D40-2.6-10-24T	40	2,6	10	24
YC500 D40-2.7-10-24T	40	2,7	10	24
YC500 D40-2.8-10-24T	40	2,8	10	24
YC500 D40-2.9-10-24T	40	2,9	10	24
YC500 D40-3.0-10-24T	40	3,0	10	24
YC500 D40-3.1-10-24T	40	3,1	10	24
YC500 D40-3.2-10-24T	40	3,2	10	24
YC500 D40-3.3-10-24T	40	3,3	10	24
YC500 D40-3.4-10-24T	40	3,4	10	24
YC500 D40-3.5-10-24T	40	3,5	10	24
YC500 D40-3.6-10-24T	40	3,6	10	24
YC500 D40-3.7-10-24T	40	3,7	10	24
YC500 D40-3.8-10-24T	40	3,8	10	24
YC500 D40-3.9-10-24T	40	3,9	10	24
YC500 D40-4.0-10-20T	40	4,0	10	20
YC500 D40-4.1-10-20T	40	4,1	10	20
YC500 D40-4.2-10-20T	40	4,2	10	20
YC500 D40-4.3-10-20T	40	4,3	10	20
YC500 D40-4.4-10-20T	40	4,4	10	20
YC500 D40-4.5-10-20T	40	4,5	10	20
YC500 D40-4.6-10-20T	40	4,6	10	20
YC500 D40-4.7-10-20T	40	4,7	10	20
YC500 D40-4.8-10-20T	40	4,8	10	20

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D40-4.9-10-20T	40	4,9	10	20
YC500 D40-5.0-10-20T	40	5,0	10	20
YC500 D40-5.1-10-20T	40	5,1	10	20
YC500 D40-5.2-10-20T	40	5,2	10	20
YC500 D40-5.3-10-20T	40	5,3	10	20
YC500 D40-5.4-10-20T	40	5,4	10	20
YC500 D40-5.5-10-20T	40	5,5	10	20
YC500 D40-5.6-10-20T	40	5,6	10	20
YC500 D40-5.7-10-20T	40	5,7	10	20
YC500 D40-5.8-10-20T	40	5,8	10	20
YC500 D40-5.9-10-20T	40	5,9	10	20
YC500 D40-6.0-10-20T	40	6,0	10	20
YC500 D50-0.3-13-48T	50	0,3	13	48
YC500 D50-0.4-13-48T	50	0,4	13	48
YC500 D50-0.5-13-48T	50	0,5	13	48
YC500 D50-0.6-13-48T	50	0,6	13	48
YC500 D50-0.7-13-48T	50	0,7	13	48
YC500 D50-0.8-13-40T	50	0,8	13	40
YC500 D50-0.9-13-40T	50	0,9	13	40
YC500 D50-1.0-13-40T	50	1,0	13	40
YC500 D50-1.1-13-40T	50	1,1	13	40
YC500 D50-1.2-13-40T	50	1,2	13	40
YC500 D50-1.3-13-40T	50	1,3	13	40
YC500 D50-1.4-13-40T	50	1,4	13	40
YC500 D50-1.5-13-32T	50	1,5	13	32
YC500 D50-1.6-13-32T	50	1,6	13	32
YC500 D50-1.7-13-32T	50	1,7	13	32
YC500 D50-1.8-13-32T	50	1,8	13	32
YC500 D50-1.9-13-32T	50	1,9	13	32
YC500 D50-2.0-13-32T	50	2,0	13	32
YC500 D50-2.1-13-32T	50	2,1	13	32
YC500 D50-2.2-13-32T	50	2,2	13	32
YC500 D50-2.3-13-32T	50	2,3	13	32
YC500 D50-2.4-13-32T	50	2,4	13	32
YC500 D50-2.5-13-32T	50	2,5	13	32
YC500 D50-2.6-13-32T	50	2,6	13	32
YC500 D50-2.7-13-32T	50	2,7	13	32

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D50-2.8-13-32T	50	2,8	13	32
YC500 D50-2.9-13-32T	50	2,9	13	32
YC500 D50-3.0-13-24T	50	3,0	13	24
YC500 D50-3.1-13-24T	50	3,1	13	24
YC500 D50-3.2-13-24T	50	3,2	13	24
YC500 D50-3.3-13-24T	50	3,3	13	24
YC500 D50-3.4-13-24T	50	3,4	13	24
YC500 D50-3.5-13-24T	50	3,5	13	24
YC500 D50-3.6-13-24T	50	3,6	13	24
YC500 D50-3.7-13-24T	50	3,7	13	24
YC500 D50-3.8-13-24T	50	3,8	13	24
YC500 D50-3.9-13-24T	50	3,9	13	24
YC500 D50-4.0-13-24T	50	4,0	13	24
YC500 D50-4.1-13-24T	50	4,1	13	24
YC500 D50-4.2-13-24T	50	4,2	13	24
YC500 D50-4.3-13-24T	50	4,3	13	24
YC500 D50-4.4-13-24T	50	4,4	13	24
YC500 D50-4.5-13-24T	50	4,5	13	24
YC500 D50-4.6-13-24T	50	4,6	13	24
YC500 D50-4.7-13-24T	50	4,7	13	24
YC500 D50-4.8-13-24T	50	4,8	13	24
YC500 D50-4.9-13-24T	50	4,9	13	24
YC500 D50-5.0-13-24T	50	5,0	13	24
YC500 D50-5.1-13-24T	50	5,1	13	24
YC500 D50-5.2-13-24T	50	5,2	13	24
YC500 D50-5.3-13-24T	50	5,3	13	24
YC500 D50-5.4-13-24T	50	5,4	13	24
YC500 D50-5.5-13-24T	50	5,5	13	24
YC500 D50-5.6-13-24T	50	5,6	13	24
YC500 D50-5.7-13-24T	50	5,7	13	24
YC500 D50-5.8-13-24T	50	5,8	13	24
YC500 D50-5.9-13-24T	50	5,9	13	24
YC500 D50-6.0-13-24T	50	6,0	13	24
YC500 D63-0.3-16-48T	63	0,3	16	48
YC500 D63-0.4-16-48T	63	0,4	16	48
YC500 D63-0.6-16-48T	63	0,6	16	48
YC500 D63-0.7-16-48T	63	0,7	16	48

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D63-0.8-16-48T	63	0,8	16	48
YC500 D63-0.9-16-48T	63	0,9	16	48
YC500 D63-1.0-16-40T	63	1,0	16	40
YC500 D63-1.1-16-40T	63	1,1	16	40
YC500 D63-1.2-16-40T	63	1,2	16	40
YC500 D63-1.3-16-40T	63	1,3	16	40
YC500 D63-1.4-16-40T	63	1,4	16	40
YC500 D63-1.5-16-40T	63	1,5	16	40
YC500 D63-1.6-16-40T	63	1,6	16	40
YC500 D63-1.7-16-40T	63	1,7	16	40
YC500 D63-1.8-16-40T	63	1,8	16	40
YC500 D63-1.9-16-40T	63	1,9	16	40
YC500 D63-2.0-16-32T	63	2,0	16	32
YC500 D63-2.1-16-32T	63	2,1	16	32
YC500 D63-2.2-16-32T	63	2,2	16	32
YC500 D63-2.3-16-32T	63	2,3	16	32
YC500 D63-2.4-16-32T	63	2,4	16	32
YC500 D63-2.5-16-32T	63	2,5	16	32
YC500 D63-2.6-16-32T	63	2,6	16	32
YC500 D63-2.7-16-32T	63	2,7	16	32
YC500 D63-2.8-16-32T	63	2,8	16	32
YC500 D63-2.9-16-32T	63	2,9	16	32
YC500 D63-3.0-22-64T	63	3,0	22	64
YC500 D63-3.1-22-64T	63	3,1	22	64
YC500 D63-3.2-22-64T	63	3,2	22	64
YC500 D63-3.3-22-64T	63	3,3	22	64
YC500 D63-3.4-22-64T	63	3,4	22	64
YC500 D63-3.5-22-64T	63	3,5	22	64
YC500 D63-3.6-22-64T	63	3,6	22	64
YC500 D63-3.7-22-64T	63	3,7	22	64
YC500 D63-3.8-22-64T	63	3,8	22	64
YC500 D63-3.9-22-64T	63	3,9	22	64
YC500 D63-4.0-22-64T	63	4,0	22	64
YC500 D63-4.1-22-64T	63	4,1	22	64
YC500 D63-4.2-22-64T	63	4,2	22	64
YC500 D63-4.3-22-64T	63	4,3	22	64
YC500 D63-4.4-22-64T	63	4,4	22	64

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D63-4.5-22-64T	63	4,5	22	64
YC500 D63-4.6-22-64T	63	4,6	22	64
YC500 D63-4.7-22-64T	63	4,7	22	64
YC500 D63-4.8-22-64T	63	4,8	22	64
YC500 D63-4.9-22-64T	63	4,9	22	64
YC500 D63-5.0-22-64T	63	5,0	22	64
YC500 D63-5.1-22-64T	63	5,1	22	64
YC500 D63-5.2-22-64T	63	5,2	22	64
YC500 D63-5.3-22-64T	63	5,3	22	64
YC500 D63-5.4-22-64T	63	5,4	22	64
YC500 D63-5.5-22-64T	63	5,5	22	64
YC500 D63-5.6-22-64T	63	5,6	22	64
YC500 D63-5.7-22-64T	63	5,7	22	64
YC500 D63-5.8-22-64T	63	5,8	22	64
YC500 D63-5.9-22-64T	63	5,9	22	64
YC500 D63-6.0-22-64T	63	6,0	22	64
YC500 D80-0.3-22-64T	80	0,3	22	64
YC500 D80-0.4-22-64T	80	0,4	22	64
YC500 D80-0.5-22-64T	80	0,5	22	64
YC500 D80-0.6-22-64T	80	0,6	22	64
YC500 D80-0.7-22-64T	80	0,7	22	64
YC500 D80-0.8-22-64T	80	0,8	22	64
YC500 D80-0.9-22-64T	80	0,9	22	64
YC500 D80-1.0-22-48T	80	1,0	22	48
YC500 D80-1.1-22-48T	80	1,1	22	48
YC500 D80-1.2-22-48T	80	1,2	22	48
YC500 D80-1.3-22-48T	80	1,3	22	48
YC500 D80-1.4-22-48T	80	1,4	22	48
YC500 D80-1.5-22-48T	80	1,5	22	48
YC500 D80-1.6-22-48T	80	1,6	22	48
YC500 D80-1.7-22-48T	80	1,7	22	48
YC500 D80-1.8-22-48T	80	1,8	22	48
YC500 D80-1.9-22-48T	80	1,9	22	48
YC500 D80-2.0-22-40T	80	2,0	22	40
YC500 D80-2.1-22-40T	80	2,1	22	40
YC500 D80-2.2-22-40T	80	2,2	22	40
YC500 D80-2.3-22-40T	80	2,3	22	40

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D80-2.4-22-40T	80	2,4	22	40
YC500 D80-2.5-22-40T	80	2,5	22	40
YC500 D80-2.6-22-40T	80	2,6	22	40
YC500 D80-2.7-22-40T	80	2,7	22	40
YC500 D80-2.8-22-40T	80	2,8	22	40
YC500 D80-2.9-22-40T	80	2,9	22	40
YC500 D80-3.0-22-40T	80	3,0	22	40
YC500 D80-3.1-22-40T	80	3,1	22	40
YC500 D80-3.2-22-40T	80	3,2	22	40
YC500 D80-3.3-22-40T	80	3,3	22	40
YC500 D80-3.4-22-40T	80	3,4	22	40
YC500 D80-3.5-22-40T	80	3,5	22	40
YC500 D80-3.6-22-40T	80	3,6	22	40
YC500 D80-3.7-22-40T	80	3,7	22	40
YC500 D80-3.8-22-40T	80	3,8	22	40
YC500 D80-3.9-22-40T	80	3,9	22	40
YC500 D80-4.0-22-40T	80	4,0	22	40
YC500 D80-4.1-22-40T	80	4,1	22	40
YC500 D80-4.2-22-40T	80	4,2	22	40
YC500 D80-4.3-22-40T	80	4,3	22	40
YC500 D80-4.4-22-40T	80	4,4	22	40
YC500 D80-4.5-22-40T	80	4,5	22	40
YC500 D80-4.6-22-40T	80	4,6	22	40
YC500 D80-4.7-22-40T	80	4,7	22	40
YC500 D80-4.8-22-40T	80	4,8	22	40
YC500 D80-4.9-22-40T	80	4,9	22	40
YC500 D80-5.0-22-40T	80	5,0	22	40
YC500 D80-5.1-22-40T	80	5,1	22	40
YC500 D80-5.2-22-40T	80	5,2	22	40
YC500 D80-5.3-22-40T	80	5,3	22	40
YC500 D80-5.4-22-40T	80	5,4	22	40
YC500 D80-5.5-22-40T	80	5,5	22	40
YC500 D80-5.6-22-40T	80	5,6	22	40
YC500 D80-5.7-22-40T	80	5,7	22	40
YC500 D80-5.8-22-40T	80	5,8	22	40
YC500 D80-5.9-22-40T	80	5,9	22	40
YC500 D80-6.0-22-40T	80	6,0	22	40

Серия YC500


Твердосплавные дисковые фрезы с крупным шагом



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D100-0.3-22-64T	100	0,3	22	64
YC500 D100-0.4-22-64T	100	0,4	22	64
YC500 D100-0.5-22-64T	100	0,5	22	64
YC500 D100-0.6-22-64T	100	0,6	22	64
YC500 D100-0.7-22-64T	100	0,7	22	64
YC500 D100-0.8-22-64T	100	0,8	22	64
YC500 D100-0.9-22-64T	100	0,9	22	64
YC500 D100-1.0-22-64T	100	1,0	22	64
YC500 D100-1.1-22-64T	100	1,1	22	64
YC500 D100-1.2-22-48T	100	1,2	22	48
YC500 D100-1.3-22-48T	100	1,3	22	48
YC500 D100-1.4-22-48T	100	1,4	22	48
YC500 D100-1.5-22-48T	100	1,5	22	48
YC500 D100-1.6-22-48T	100	1,6	22	48
YC500 D100-1.7-22-48T	100	1,7	22	48
YC500 D100-1.8-22-48T	100	1,8	22	48
YC500 D100-1.9-22-48T	100	1,9	22	48
YC500 D100-2.0-22-48T	100	2,0	22	48
YC500 D100-2.1-22-48T	100	2,1	22	48
YC500 D100-2.2-22-48T	100	2,2	22	48
YC500 D100-2.3-22-48T	100	2,3	22	48
YC500 D100-2.4-22-48T	100	2,4	22	48
YC500 D100-2.5-22-48T	100	2,5	22	48
YC500 D100-2.6-22-48T	100	2,6	22	48
YC500 D100-2.7-22-48T	100	2,7	22	48
YC500 D100-2.8-22-48T	100	2,8	22	48
YC500 D100-2.9-22-48T	100	2,9	22	48
YC500 D100-3.0-22-48T	100	3,0	22	48
YC500 D100-3.1-22-48T	100	3,1	22	48
YC500 D100-3.2-22-48T	100	3,2	22	48
YC500 D100-3.3-22-48T	100	3,3	22	48
YC500 D100-3.4-22-48T	100	3,4	22	48
YC500 D100-3.5-22-48T	100	3,5	22	48
YC500 D100-3.6-22-48T	100	3,6	22	48
YC500 D100-3.7-22-48T	100	3,7	22	48
YC500 D100-3.8-22-48T	100	3,8	22	48
YC500 D100-3.9-22-48T	100	3,9	22	48

Серия YC500

Твердосплавные дисковые фрезы с крупным шагом




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)
YC500 D100-4.0-22-48T	100	4,0	22	48
YC500 D100-4.1-22-48T	100	4,1	22	48
YC500 D100-4.2-22-48T	100	4,2	22	48
YC500 D100-4.3-22-48T	100	4,3	22	48
YC500 D100-4.4-22-48T	100	4,4	22	48
YC500 D100-4.5-22-48T	100	4,5	22	48
YC500 D100-4.6-22-48T	100	4,6	22	48
YC500 D100-4.7-22-48T	100	4,7	22	48
YC500 D100-4.8-22-48T	100	4,8	22	48
YC500 D100-4.9-22-48T	100	4,9	22	48
YC500 D100-5.0-22-48T	100	5,0	22	48
YC500 D100-5.1-22-48T	100	5,1	22	48
YC500 D100-5.2-22-48T	100	5,2	22	48
YC500 D100-5.3-22-48T	100	5,3	22	48
YC500 D100-5.4-22-48T	100	5,4	22	48
YC500 D100-5.5-22-48T	100	5,5	22	48
YC500 D100-5.6-22-48T	100	5,6	22	48
YC500 D100-5.7-22-48T	100	5,7	22	48
YC500 D100-5.8-22-48T	100	5,8	22	48
YC500 D100-5.9-22-48T	100	5,9	22	48
YC500 D100-6.0-22-48T	100	6,0	22	48

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAlN




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубцов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D50-0.3-13-68T	50	0,3	13	68	30
YC600 D50-0.4-13-68T	50	0,4	13	68	30
YC600 D50-0.5-13-68T	50	0,5	13	68	30
YC600 D50-0.6-13-68T	50	0,6	13	68	30
YC600 D50-0.7-13-68T	50	0,7	13	68	30
YC600 D50-0.8-13-68T	50	0,8	13	68	30
YC600 D50-0.9-13-68T	50	0,9	13	68	30
YC600 D50-1.0-13-68T	50	1,0	13	68	30
YC600 D50-1.1-13-68T	50	1,1	13	68	30
YC600 D50-1.2-13-68T	50	1,2	13	68	30
YC600 D50-1.3-13-68T	50	1,3	13	68	30
YC600 D50-1.4-13-68T	50	1,4	13	68	30
YC600 D50-1.5-13-64T	50	1,5	13	64	30
YC600 D50-1.6-13-64T	50	1,6	13	64	30
YC600 D50-1.7-13-64T	50	1,7	13	64	30
YC600 D50-1.8-13-64T	50	1,8	13	64	30
YC600 D50-1.9-13-64T	50	1,9	13	64	30
YC600 D50-2.0-13-64T	50	2,0	13	64	30
YC600 D50-2.1-13-64T	50	2,1	13	64	30
YC600 D50-2.2-13-64T	50	2,2	13	64	30
YC600 D50-2.3-13-64T	50	2,3	13	64	30
YC600 D50-2.4-13-64T	50	2,4	13	64	30
YC600 D50-2.5-13-64T	50	2,5	13	64	30
YC600 D50-2.6-13-64T	50	2,6	13	64	30
YC600 D50-2.7-13-64T	50	2,7	13	64	30
YC600 D50-2.8-13-64T	50	2,8	13	64	30
YC600 D50-2.9-13-64T	50	2,9	13	64	30
YC600 D50-3.0-13-48T	50	3,0	13	48	30
YC600 D50-3.1-13-48T	50	3,1	13	48	30
YC600 D50-3.2-13-48T	50	3,2	13	48	30
YC600 D50-3.3-13-48T	50	3,3	13	48	30
YC600 D50-3.4-13-48T	50	3,4	13	48	30
YC600 D50-3.5-13-48T	50	3,5	13	48	30
YC600 D50-3.6-13-48T	50	3,6	13	48	30
YC600 D50-3.7-13-48T	50	3,7	13	48	30
YC600 D50-3.8-13-48T	50	3,8	13	48	30
YC600 D50-3.9-13-48T	50	3,9	13	48	30
YC600 D50-4.0-13-48T	50	4,0	13	48	30

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAlN




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D50-4.1-13-48T	50	4,1	13	48	30
YC600 D50-4.2-13-48T	50	4,2	13	48	30
YC600 D50-4.3-13-48T	50	4,3	13	48	30
YC600 D50-4.4-13-48T	50	4,4	13	48	30
YC600 D50-4.5-13-48T	50	4,5	13	48	30
YC600 D50-4.6-13-48T	50	4,6	13	48	30
YC600 D50-4.7-13-48T	50	4,7	13	48	30
YC600 D50-4.8-13-48T	50	4,8	13	48	30
YC600 D50-4.9-13-48T	50	4,9	13	48	30
YC600 D50-5.0-13-48T	50	5,0	13	48	30
YC600 D50-5.1-13-48T	50	5,1	13	48	30
YC600 D50-5.2-13-48T	50	5,2	13	48	30
YC600 D50-5.3-13-48T	50	5,3	13	48	30
YC600 D50-5.4-13-48T	50	5,4	13	48	30
YC600 D50-5.5-13-48T	50	5,5	13	48	30
YC600 D50-5.6-13-48T	50	5,6	13	48	30
YC600 D50-5.7-13-48T	50	5,7	13	48	30
YC600 D50-5.8-13-48T	50	5,8	13	48	30
YC600 D50-5.9-13-48T	50	5,9	13	48	30
YC600 D50-6.0-13-48T	50	6,0	13	48	30
YC600 D63-0.3-16-80T	63	0,3	16	80	40
YC600 D63-0.4-16-80T	63	0,4	16	80	40
YC600 D63-0.5-16-80T	63	0,5	16	80	40
YC600 D63-0.6-16-80T	63	0,6	16	80	40
YC600 D63-0.7-16-80T	63	0,7	16	80	40
YC600 D63-0.8-16-80T	63	0,8	16	80	40
YC600 D63-0.9-16-80T	63	0,9	16	80	40
YC600 D63-1.0-16-80T	63	1,0	16	80	40
YC600 D63-1.1-16-80T	63	1,1	16	80	40
YC600 D63-1.2-16-80T	63	1,2	16	80	40
YC600 D63-1.3-16-80T	63	1,3	16	80	40
YC600 D63-1.4-16-80T	63	1,4	16	80	40
YC600 D63-1.5-16-80T	63	1,5	16	80	40
YC600 D63-1.6-16-80T	63	1,6	16	80	40
YC600 D63-1.7-16-80T	63	1,7	16	80	40
YC600 D63-1.8-16-80T	63	1,8	16	80	40
YC600 D63-1.9-16-80T	63	1,9	16	80	40
YC600 D63-2.0-16-80T	63	2,0	16	80	40

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAIN




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D63-2.1-16-80T	63	2,1	16	80	40
YC600 D63-2.2-16-80T	63	2,2	16	80	40
YC600 D63-2.3-16-80T	63	2,3	16	80	40
YC600 D63-2.4-16-80T	63	2,4	16	80	40
YC600 D63-2.5-16-64T	63	2,5	16	64	40
YC600 D63-2.6-16-64T	63	2,6	16	64	40
YC600 D63-2.7-16-64T	63	2,7	16	64	40
YC600 D63-2.8-16-64T	63	2,8	16	64	40
YC600 D63-2.9-16-64T	63	2,9	16	64	40
YC600 D63-3.0-16-64T	63	3,0	16	64	40
YC600 D63-3.1-16-64T	63	3,1	16	64	40
YC600 D63-3.2-16-64T	63	3,2	16	64	40
YC600 D63-3.3-16-64T	63	3,3	16	64	40
YC600 D63-3.4-16-64T	63	3,4	16	64	40
YC600 D63-3.5-16-64T	63	3,5	16	64	40
YC600 D63-3.6-16-64T	63	3,6	16	64	40
YC600 D63-3.7-16-64T	63	3,7	16	64	40
YC600 D63-3.8-16-64T	63	3,8	16	64	40
YC600 D63-3.9-16-64T	63	3,9	16	64	40
YC600 D63-4.0-16-64T	63	4,0	16	64	40
YC600 D63-4.1-16-64T	63	4,1	16	64	40
YC600 D63-4.2-16-64T	63	4,2	16	64	40
YC600 D63-4.3-16-64T	63	4,3	16	64	40
YC600 D63-4.4-16-64T	63	4,4	16	64	40
YC600 D63-4.5-16-64T	63	4,5	16	64	40
YC600 D63-4.6-16-64T	63	4,6	16	64	40
YC600 D63-4.7-16-64T	63	4,7	16	64	40
YC600 D63-4.8-16-64T	63	4,8	16	64	40
YC600 D63-4.9-16-64T	63	4,9	16	64	40
YC600 D63-5.0-16-48T	63	5,0	16	48	40
YC600 D63-5.1-16-48T	63	5,1	16	48	40
YC600 D63-5.2-16-48T	63	5,2	16	48	40
YC600 D63-5.3-16-48T	63	5,3	16	48	40
YC600 D63-5.4-16-48T	63	5,4	16	48	40
YC600 D63-5.5-16-48T	63	5,5	16	48	40
YC600 D63-5.6-16-48T	63	5,6	16	48	40
YC600 D63-5.7-16-48T	63	5,7	16	48	40
YC600 D63-5.8-16-48T	63	5,8	16	48	40

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAlN




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D63-5.9-16-48T	63	5,9	16	48	40
YC600 D63-6.0-16-48T	63	6,0	16	48	40
YC600 D80-0.3-22-100T	80	0,3	22	100	50
YC600 D80-0.4-22-100T	80	0,4	22	100	50
YC600 D80-0.5-22-100T	80	0,5	22	100	50
YC600 D80-0.6-22-100T	80	0,6	22	100	50
YC600 D80-0.7-22-100T	80	0,7	22	100	50
YC600 D80-0.8-22-100T	80	0,8	22	100	50
YC600 D80-0.9-22-100T	80	0,9	22	100	50
YC600 D80-1.0-22-100T	80	1,0	22	100	50
YC600 D80-1.1-22-100T	80	1,1	22	100	50
YC600 D80-1.2-22-100T	80	1,2	22	100	50
YC600 D80-1.3-22-100T	80	1,3	22	100	50
YC600 D80-1.4-22-100T	80	1,4	22	100	50
YC600 D80-1.5-22-100T	80	1,5	22	100	50
YC600 D80-1.6-22-100T	80	1,6	22	100	50
YC600 D80-1.7-22-100T	80	1,7	22	100	50
YC600 D80-1.8-22-100T	80	1,8	22	100	50
YC600 D80-1.9-22-100T	80	1,9	22	100	50
YC600 D80-2.0-22-80T	80	2,0	22	80	50
YC600 D80-2.1-22-80T	80	2,1	22	80	50
YC600 D80-2.2-22-80T	80	2,2	22	80	50
YC600 D80-2.3-22-80T	80	2,3	22	80	50
YC600 D80-2.4-22-80T	80	2,4	22	80	50
YC600 D80-2.5-22-80T	80	2,5	22	80	50
YC600 D80-2.6-22-80T	80	2,6	22	80	50
YC600 D80-2.7-22-80T	80	2,7	22	80	50
YC600 D80-2.8-22-80T	80	2,8	22	80	50
YC600 D80-2.9-22-80T	80	2,9	22	80	50
YC600 D80-3.0-22-80T	80	3,0	22	80	50
YC600 D80-3.1-22-80T	80	3,1	22	80	50
YC600 D80-3.2-22-80T	80	3,2	22	80	50
YC600 D80-3.3-22-80T	80	3,3	22	80	50
YC600 D80-3.4-22-80T	80	3,4	22	80	50
YC600 D80-3.5-22-80T	80	3,5	22	80	50
YC600 D80-3.6-22-80T	80	3,6	22	80	50
YC600 D80-3.7-22-80T	80	3,7	22	80	50
YC600 D80-3.8-22-80T	80	3,8	22	80	50

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAlN




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D80-3.9-22-80T	80	3,9	22	80	50
YC600 D80-4.0-22-64T	80	4,0	22	64	50
YC600 D80-4.1-22-64T	80	4,1	22	64	50
YC600 D80-4.2-22-64T	80	4,2	22	64	50
YC600 D80-4.3-22-64T	80	4,3	22	64	50
YC600 D80-4.4-22-64T	80	4,4	22	64	50
YC600 D80-4.5-22-64T	80	4,5	22	64	50
YC600 D80-4.6-22-64T	80	4,6	22	64	50
YC600 D80-4.7-22-64T	80	4,7	22	64	50
YC600 D80-4.8-22-64T	80	4,8	22	64	50
YC600 D80-4.9-22-64T	80	4,9	22	64	50
YC600 D80-5.0-22-64T	80	5,0	22	64	50
YC600 D80-5.1-22-64T	80	5,1	22	64	50
YC600 D80-5.2-22-64T	80	5,2	22	64	50
YC600 D80-5.3-22-64T	80	5,3	22	64	50
YC600 D80-5.4-22-64T	80	5,4	22	64	50
YC600 D80-5.5-22-64T	80	5,5	22	64	50
YC600 D80-5.6-22-64T	80	5,6	22	64	50
YC600 D80-5.7-22-64T	80	5,7	22	64	50
YC600 D80-5.8-22-64T	80	5,8	22	64	50
YC600 D80-5.9-22-64T	80	5,9	22	64	50
YC600 D80-6.0-22-64T	80	6,0	22	64	50
YC600 D100-0.3-22-120T	100	0,3	22	120	60
YC600 D100-0.4-22-120T	100	0,4	22	120	60
YC600 D100-0.5-22-120T	100	0,5	22	120	60
YC600 D100-0.6-22-120T	100	0,6	22	120	60
YC600 D100-0.7-22-120T	100	0,7	22	120	60
YC600 D100-0.8-22-120T	100	0,8	22	120	60
YC600 D100-0.9-22-120T	100	0,9	22	120	60
YC600 D100-1.0-22-120T	100	1,0	22	120	60
YC600 D100-1.1-22-120T	100	1,1	22	120	60
YC600 D100-1.2-22-120T	100	1,2	22	120	60
YC600 D100-1.3-22-120T	100	1,3	22	120	60
YC600 D100-1.4-22-100T	100	1,4	22	100	60
YC600 D100-1.5-22-100T	100	1,5	22	100	60
YC600 D100-1.6-22-100T	100	1,6	22	100	60
YC600 D100-1.7-22-100T	100	1,7	22	100	60
YC600 D100-1.8-22-100T	100	1,8	22	100	60

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAIN




Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубцов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D100-1.9-22-100T	100	1,9	22	100	60
YC600 D100-2.0-22-100T	100	2,0	22	100	60
YC600 D100-2.1-22-100T	100	2,1	22	100	60
YC600 D100-2.2-22-100T	100	2,2	22	100	60
YC600 D100-2.3-22-100T	100	2,3	22	100	60
YC600 D100-2.4-22-100T	100	2,4	22	100	60
YC600 D100-2.5-22-100T	100	2,5	22	100	60
YC600 D100-2.6-22-100T	100	2,6	22	100	60
YC600 D100-2.7-22-100T	100	2,7	22	100	60
YC600 D100-2.8-22-100T	100	2,8	22	100	60
YC600 D100-2.9-22-100T	100	2,9	22	100	60
YC600 D100-3.0-22-80T	100	3,0	22	80	60
YC600 D100-3.1-22-80T	100	3,1	22	80	60
YC600 D100-3.2-22-80T	100	3,2	22	80	60
YC600 D100-3.3-22-80T	100	3,3	22	80	60
YC600 D100-3.4-22-80T	100	3,4	22	80	60
YC600 D100-3.5-22-80T	100	3,5	22	80	60
YC600 D100-3.6-22-80T	100	3,6	22	80	60
YC600 D100-3.7-22-80T	100	3,7	22	80	60
YC600 D100-3.8-22-80T	100	3,8	22	80	60
YC600 D100-3.9-22-80T	100	3,9	22	80	60
YC600 D100-4.0-22-80T	100	4,0	22	80	60
YC600 D100-4.1-22-80T	100	4,1	22	80	60
YC600 D100-4.2-22-80T	100	4,2	22	80	60
YC600 D100-4.3-22-80T	100	4,3	22	80	60
YC600 D100-4.4-22-80T	100	4,4	22	80	60
YC600 D100-4.5-22-80T	100	4,5	22	80	60
YC600 D100-4.6-22-80T	100	4,6	22	80	60
YC600 D100-4.7-22-80T	100	4,7	22	80	60
YC600 D100-4.8-22-80T	100	4,8	22	80	60
YC600 D100-4.9-22-80T	100	4,9	22	80	60
YC600 D100-5.0-22-80T	100	5,0	22	80	60
YC600 D100-5.1-22-80T	100	5,1	22	80	60
YC600 D100-5.2-22-80T	100	5,2	22	80	60
YC600 D100-5.3-22-80T	100	5,3	22	80	60
YC600 D100-5.4-22-80T	100	5,4	22	80	60
YC600 D100-5.5-22-80T	100	5,5	22	80	60
YC600 D100-5.6-22-80T	100	5,6	22	80	60

Серия YC600

Твердосплавные дисковые фрезы для нержавеющей стали

Покрывтие

TiAlN



Обозначение	Диаметр режущей части, мм (D1)	Толщина, мм (S)	Посадочный диаметр, мм (D2)	Количество зубов, шт (Z)	Диаметр выступа, мм (D3)
YC600 D100-5.7-22-80T	100	5,7	22	80	60
YC600 D100-5.8-22-80T	100	5,8	22	80	60
YC600 D100-5.9-22-80T	100	5,9	22	80	60
YC600 D100-6.0-22-80T	100	6,0	22	80	60