


XNDL

Державки для отрезки и канавок



Державки канавочные


К заказу доступно правое и левое исполнение

Обозначение	Ширина канавки, мм	H, мм	B, мм	OAL, мм	CDX, мм	Пластина
XNDL R/L 1010JX-1.25 10	1,25	10	10	120	10	XCMN..
XNDL R/L 1010JX-1..50 10	1,5	10	10	120	10	XCMN..
XNDL R/L 1010JX-2 10	2	10	10	120	10	XCMN..
XNDL R/L 1010JX-3 10	3	10	10	120	10	XCMN..
XNDL R/L 1212X-1.25 12	1,25	12	12	120	12	XCMN..
XNDL R/L 1212JX-1..50 12	1,5	12	12	120	12	XCMN..
XNDL R/L 1212JX-2 12.5	2	12	12	120	12,5	XCMN..
XNDL R/L 1212JX-3 12.5	3	12	12	120	12,5	XCMN..
XNDL R/L 1616JX-1.50 12.5	1,5	16	16	120	12,5	XCMN..
XNDL R/L 1616JX-2 16	2	16	16	120	16	XCMN..
XNDL R/L 1616JX-3 16	3	16	16	120	16	XCMN..
XNDL R/L 2020K-1.50 16	1,5	20	20	125	16	XCMN..
XNDL R/L 2020K-220	2	20	20	125	20	XCMN..
XNDL R/L 2020K-320	3	20	20	125	20	XCMN..
XNDL R/L 2020K-425	4	20	20	125	25	XCMN..
XNDL R/L 2020K-525	5	20	20	125	25	XCMN..
XNDL R/L 2020K-625	6	20	20	125	25	XCMN..
XNDL R/L 2525M-220	2	25	25	150	20	XCMN..
XNDL R/L 2525M-320	3	25	25	150	20	XCMN..
XNDL R/L 2525M-425	4	25	25	150	25	XCMN..
XNDL R/L 2525M-525	5	25	25	150	25	XCMN..
XNDL R/L 2525M-625	6	25	25	150	25	XCMN..
XNDL R/L 3232P-320	3	32	32	170	20	XCMN..
XNDL R/L 3232P-425	4	32	32	170	25	XCMN..
XNDL R/L 3232P-525	5	32	32	170	25	XCMN..
XNDL R/L 3232P-625	6	32	32	170	25	XCMN..
XNDL R/L 3232P-725	7	32	32	170	25	XCMN..
XNDL R/L 3232P-825	8	32	32	170	25	XCMN..

XNDM

Державки для отрезки и канавок

Державки канавочные




К заказу доступно правое и левое исполнение

Обозначение	Ширина канавки, мм	H, мм	B, мм	OAL, мм	CDX, мм	Пластина
XNDM R/L 2020K-1.50 10	1,5	20	20	125	10	XCMN..
XNDM R/L 2020K-2 10	2	20	20	125	10	XCMN..
XNDM R/L 2020K-312	3	20	20	125	12	XCMN..
XNDM R/L 2020K-418	4	20	20	125	18	XCMN..
XNDM R/L 2020K-518	5	20	20	125	18	XCMN..
XNDM R/L 2020K-618	6	20	20	125	18	XCMN..
XNDM R/L 2525M-1.50 10	1,5	25	25	150	10	XCMN..
XNDM R/L 2525M-2 10	2	25	25	150	10	XCMN..
XNDM R/L 2525M-312	3	25	25	150	12	XCMN..
XNDM R/L 2525M-418	4	25	25	150	18	XCMN..
XNDM R/L 2525M-518	5	25	25	150	18	XCMN..
XNDM R/L 2525M-618	6	25	25	150	18	XCMN..
XNDM R/L 3232P-312	3	32	32	170	12	XCMN..
XNDM R/L 3232P-418	4	32	32	170	18	XCMN..
XNDM R/L 3232P-518	5	32	32	170	18	XCMN..
XNDM R/L 3232P-618	6	32	32	170	18	XCMN..
XNDM R/L 3232P-718	7	32	32	170	18	XCMN..
XNDM R/L 3232P-818	8	32	32	170	18	XCMN..

XNDS

Державки для отрезки и канавок



Державки канавочные

К заказу доступно правое и левое исполнение

Обозначение	Ширина канавки, мм	H, мм	B, мм	OAL, мм	CDX, мм	Пластина
XNDS R/L 1616JX-1.50 06	1,5	16	16	120	6	XCMN..
XNDS R/L 1616JX-2 06	2	16	16	120	6	XCMN..
XNDS R/L 1616JX-3 06	3	16	16	120	6	XCMN..
XNDS R/L 2020K-2 06	2	20	20	125	6	XCMN..
XNDS R/L 2020K-3 06	3	20	20	125	6	XCMN..
XNDS R/L 2020K-410	4	20	20	125	10	XCMN..
XNDS R/L 2020K-510	5	20	20	125	10	XCMN..
XNDS R/L 2020K-610	6	20	20	125	10	XCMN..
XNDS R/L 2525M-2 06	2	25	25	150	6	XCMN..
XNDS R/L 2525M-306	3	25	25	150	6	XCMN..
XNDS R/L 2525M-410	4	25	25	150	10	XCMN..
XNDS R/L 2525M-510	5	25	25	150	10	XCMN..
XNDS R/L 2525M-610	6	25	25	150	10	XCMN..